Revision nr. 10 NANOPHOS S.A. Dated 27/10/2022 Printed on 27/10/2022 SurfaPore FX WB Page n. 1/14 Replaced revision:9 (Dated: 04/04/2022)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

NanoPhos_280621-001 Code: Product name SurfaPore FX WB UFI: UXQV-Q0MJ-V00K-9RSR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Repairing and fixing solution for loose or damaged building surfaces.

1.3. Details of the supplier of the safety data sheet

Name NANOPHOS S.A.

Technological & Cultural Park Full address

District and Country 19 500 Lavrio (Greece)

Greece

Tel. +30 22920 69312 Fax +30 22920 69303

e-mail address of the competent person

responsible for the Safety Data Sheet iarabatz@NanoPhos.com

Supplier: Ioannis Arabatzis

1.4. Emergency telephone number

For urgent inquiries refer to (0030) 2107793777

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1 H318 Causes serious eye damage. Skin irritation, category 2 H315 Causes skin irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

SurfaPore FX WB

Revision nr. 10

Dated 27/10/2022 Printed on 27/10/2022

Page n. 2/14

Replaced revision:9 (Dated: 04/04/2022)



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage.H315 Causes skin irritation.

Precautionary statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

P280 Wear protective gloves / eye protection / face protection.
P310 Immediately call a POISON CENTER or a doctor.

P321 Specific treatment (see . . . on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents or container according to local/national/international regulations

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.
P264 Wash with plenty of water and soap thoroughly after handling.

Contains: Potassium methylsilanetriolate

Product not intended for uses provided for by Directive 2004/42/EC.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration greater than 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

Silic acid, potassium salt

CAS 1312-76-1 5 < x < 10 Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335

EC 215-199-1

INDEX -

Potassium methylsilanetriolate

CAS 31795-24-1 3 < x < 5 Skin Corr. 1A H314, Eye Dam. 1 H318

EC 250-807-9

INDEX -

SurfaPore FX WB

Revision nr. 10

Dated 27/10/2022 Printed on 27/10/2022

Page n. 3/14

Replaced revision:9 (Dated: 04/04/2022)

METHANOL

CAS 67-56-1 EC 200-659-6 0 < x < 3

Flam. Liq. 2 H225, Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3

H331, STOT SE 1 H370 STOT SE 2 H371:

3101 SE 2 FIS

INDEX 603-001-00-X STA Oral: 100 mg/kg, STA Dermal: 300 mg/kg, STA Inhalation vapours: 3

mg/l, STA Inhalation mists/powders: 0,501 mg/l

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

NANOPHOS S.A.	Revision nr. 10
	Dated 27/10/2022
SurfaPore FX WB	Printed on 27/10/2022
	Page n. 4/14
	Replaced revision:9 (Dated: 04/04/2022)

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

GBR

FU

FRA France Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS GRC Ελλάδα Π.Λ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναομόνιση της ελληνικής γομοθεσίας πορε τις διατάξεις

Ελλάδα Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με

2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποιηση της οοηγιας 2004/37/ΕΚ Οχέτικα με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή

μεταλλαξιγόνους παράγοντες κατά την εργασία``»

ROU România Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum

i pentru modificarea

i completarea hotărârii guvernului nr. 1.093/2006 United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

OEL EU Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398;

Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive

2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 2021

NANOPHOS S.A. Revision nr. 10 Dated 27/10/2022 Printed on 27/10/2022 Page n. 5/14 Revision nr. 10 Dated 27/10/2022 Printed on 27/10/2022 Page n. 5/14 Replaced revision:9 (Dated: 04/04/2022)

METHANOL								
Threshold Limit Val								
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations		
		mg/m3	ppm	mg/m3	ppm			
VLEP	FRA	260	200	1300	1000	SKIN	11	
TLV	GRC	260	200	325	250			
TLV	ROU	260	200			SKIN		
WEL	GBR	266	200	333	250	SKIN		
OEL	EU	260	200					
TLV-ACGIH		262	200	328	250	SKIN		

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

SurfaPore FX WB

Information

Revision nr. 10

Dated 27/10/2022

Printed on 27/10/2022

Page n. 6/14

Replaced revision:9 (Dated: 04/04/2022)

liquid Appearance Colour transparent Odour Not available Melting point / freezing point Not available Initial boiling point Not available Flammability Not available Lower explosive limit Not available Upper explosive limit Not available > 100 °C Flash point

Value

Not available

pH 11,3

Kinematic viscosity Not available Solubility Not available

Partition coefficient: n-octanol/water Not available

Vapour pressure Not available
Density and/or relative density 1.10±0.05 kg/l

Relative vapour density Not available

Particle characteristics Not applicable

9.2. Other information

Auto-ignition temperature

Properties

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Revision nr. 10 NANOPHOS S.A. Dated 27/10/2022 Printed on 27/10/2022 SurfaPore FX WB Page n. 7/14 Replaced revision:9 (Dated: 04/04/2022) None in particular. However the usual precautions used for chemical products should be respected. 10.5. Incompatible materials Information not available 10.6. Hazardous decomposition products Information not available **SECTION 11. Toxicological information** In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Metabolism, toxicokinetics, mechanism of action and other information Information not available Information on likely routes of exposure METHANOL WORKERS: inhalation; contact with the skin. POPULATION: ingestion of contaminated food or water; contact with the skin of products containing the substance. Delayed and immediate effects as well as chronic effects from short and long-term exposure The minimum lethal dose for humans by ingestion is considered to be in the range from 300 to 1000 mg/kg. Ingestion of 4-10 ml of the substance may cause permanent blindness in adult humans (IPCS). Interactive effects Information not available ACUTE TOXICITY ATE (Inhalation) of the mixture: Not classified (no significant component)

Revision nr. 10 NANOPHOS S.A. Dated 27/10/2022 Printed on 27/10/2022 SurfaPore FX WB Page n. 8/14 Replaced revision:9 (Dated: 04/04/2022) ATE (Oral) of the mixture: Not classified (no significant component) ATE (Dermal) of the mixture: Not classified (no significant component) Silic acid, potassium salt > 5000 mg/kg Rat- male and female > 5000 mg/kg Rat-female > 2,06 mg/l/4h Rat- male and female LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours): SKIN CORROSION / IRRITATION Causes skin irritation SERIOUS EYE DAMAGE / IRRITATION Causes serious eye damage RESPIRATORY OR SKIN SENSITISATION Does not meet the classification criteria for this hazard class Respiratory sensitization Information not available Skin sensitization Information not available GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class CARCINOGENICITY Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY

NANOPHOS S.A.	Revision nr. 10
	Dated 27/10/2022
SurfaPore FX WB	Printed on 27/10/2022
	Page n. 9/14
	Replaced revision:9 (Dated: 04/04/2022)
Does not meet the classification criteria for this hazard class	
Adverse effects on sexual function and fertility	
Adverse effects on sexual function and fertility	
Information not available	
Adverse effects on development of the offspring	
Information not available	
Effects on or via lactation	
Information and any lights	
Information not available	
STOT - SINGLE EXPOSURE	
Does not meet the classification criteria for this hazard class	
Target organs	
Information not available	
Route of exposure	
Troute of exposure	
Information not available	
CTOT. DEDEATED EVPOCUPE	
STOT - REPEATED EXPOSURE	
Does not meet the classification criteria for this hazard class	
<u>Target organs</u>	

NANOPHOS S.A. Revision nr. 10 Dated 27/10/2022 SurfaPore FX WB Printed on 27/10/2022 Page n. 10/14 Replaced revision:9 (Dated: 04/04/2022)

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Silic acid, potassium salt

LC50 - for Fish > 146 mg/l/48h Leuciscus idus (Golden orfe)

12.2. Persistence and degradability

METHANOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

METHANOL

Partition coefficient: n-octanol/water -0,77
BCF 0,2

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

NANOPHOS S.A.	Revision nr. 10 Dated 27/10/2022
SurfaPore FX WB	Printed on 27/10/2022
	Page n. 11/14
	Replaced revision:9 (Dated: 04/04/2022)
	·

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.
SECTION 14. Transport information
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
14.1. UN number or ID number
Not applicable
14.2. UN proper shipping name
Not applicable
14.3. Transport hazard class(es)
Not applicable
14.4. Packing group
Not applicable

NANOPHOS S.A.	Revision nr. 10
	Dated 27/10/2022
SurfaPore FX WB	Printed on 27/10/2022
	Page n. 12/14
	Replaced revision:9 (Dated: 04/04/2022)
14.5. Environmental hazards	
Not applicable	
14.6. Special precautions for user	
Not applicable	
14.7. Maritime transport in bulk according to IMO instruments	
Information not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EU: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
Product Point 3 - 40	
Contained substance	
Point 69 METHANOL	
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors	
Not applicable	
Substances in Candidate List (Art. 59 REACH)	
On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.	
Substances subject to authorisation (Annex XIV REACH)	
None	
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:	
None	
Substances subject to the Rotterdam Convention:	
None	

SurfaPore FX WB

Revision nr. 10

Dated 27/10/2022
Printed on 27/10/2022

Page n. 13/14

Replaced revision:9 (Dated: 04/04/2022)

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2
Acute Tox. 3 Acute toxicity, category 3

STOT SE 1 Specific target organ toxicity - single exposure, category 1

Skin Corr. 1A Skin corrosion, category 1A

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%

Revision nr. 10 NANOPHOS S.A. Dated 27/10/2022 Printed on 27/10/2022 SurfaPore FX WB Page n. 14/14 Replaced revision:9 (Dated: 04/04/2022)

- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation) 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP) 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
 Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 09.